


4-Wire Analog Video Intercom Kit

TD-D3R36



**7" LCD
Screen**



**Wall-Mounted
Installation**



**Video
Intercom**



Monitor



**Infrared
Fill Light**



**Door
Unlock**



Night Vision



**Rainproof
Design**



**16 Ringtone
Optional**



**No Disturbance
Mode**

Product Introduction

Large Screen Display

Features a 7" LCD screen with touch button control.

Secure Lock Control

Offers compatibility with magnetic locks and electric bolt locks.

Waterproof

IP65 rating, ensuring perfect water and weather proof.

Advanced Communication

Supports video call, monitoring, and remote unlocking functions.

Night Vision

Infrared LED fill light provides clear night view.


Durable Design

The outdoor station is constructed with a metal shell for increased durability.

Parameter Function


	Whole Unit
Adapter	input: AC100-240V 50/60Hz, output: DC15V 2A
Distance (Between Indoor Monitor and Outdoor Station)	0~50m (RVV4*0.3mm ² , 15V voltage) 0~70m (RVV4*0.5mm ² , 15V voltage)
Distance (Between Outdoor Station and Door Lock)	0~30m (RVV2*0.5mm ²)
Wiring	4-wire Cable
Working Temperature	-20°C~70°C
Working Relative Humidity	10%~70%
Call Duration	2 minutes
2-Way Audio	Support
	Indoor Monitor
Dimensions	219x124x20mm
Display	7" LCD screen, touch buttons control
Screen Resolution	800*480
Material	engineering ABS plastic and tempered glass
Power Consumption	static state <0.7W, working state <4W
Working Voltage	DC 12~15V
Installation	wall-mounted
Functions	video call, monitoring, door unlocking, no disturbance mode, ringtone selection, color & brightness & contrast & volume adjustment
External TF Card	max 512GB storage, automatically save photo and video
	Outdoor Station
Dimensions	132.5x62x39mm
Material	engineering ABS plastic and brushed aluminum sheet
Camera	700P
Horizontal View Angle	90°
Night Vision	high color precision, black and white image
Fill Light	940nm (6 Infrared LED)
Door Lock Control	output switch signal
Power Consumption	static state <0.3W, working state <1W
Installation	wall-mounted
IP Rating	IP65

Product Size & Components




Wiring Diagram (4-Wire Connection)

Standard Connection Diagram



Access Control Power Connection Diagram




1 Set Outdoor Station to 1 Set Indoor Monitor


Packing List



Outdoor Station



Indoor Monitor



Bracket for indoor monitor




Screws & anchors



Transfer cables



Power adapter



User manual

